	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	L1	98258	semiconductor near3 memory	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/24 13:58			
2	BRS	L2	12677	(amplify or amplifying or amplifier) with (data or signal) with (write or writing or read$3) with (bus or transmission or line)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/24 14:05			
3	BRS	L3	6592	bit same 2	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/24 14:06			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
4	BRS	L4	3673	3 same (connect$3 or disconnect$3)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/24 14:08			
5	BRS	L5	2337	4 same select$3	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/24 14:11			
6	BRS	L6	2273	5 same amplifier	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/24 14:12			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
7	BRS	L7	81	5 same (amplifier with (conect$3 or disconnect$3))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/24 14:14			
8	BRS	L8	10	(switch$4 near5 lines) same ((eliminat$3 or reduc$3) near5 (ISI or (intersymbol adj interference)))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/24 14:27			
9	BRS	L9	146	(current near3 state) same (next near3 state) same (state near3 (activ$5 or inactiv$5 or deactiv$5))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/24 14:33			

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
10	BRS	L10	41	9 same (bus or line or transmission)	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/24 14:33			
11	BRS	L11	1	(current near3 state) same (next near3 state) same (standby near3 state) same (previous near3 state) same (state near3 (activ$5 or inactiv$5 or deactiv$5))	USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	2004/12/24 14:35			